



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/031,145	10/19/2010	7816560	080618-0241	6322

22428 7590 09/29/2010  
FOLEY AND LARDNER LLP  
SUITE 500  
3000 K STREET NW  
WASHINGTON, DC 20007

## ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

### **Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)** (application filed on or after May 29, 2000)

The Patent Term Adjustment is 1464 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (<http://pair.uspto.gov>).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site <http://pair.uspto.gov> for additional applicants):

Nicole Zitzmann, Oxford, UNITED KINGDOM;  
Terry D. Butters, Oxfordshire, UNITED KINGDOM;  
Frances M. Platt, Oxfordshire, UNITED KINGDOM;  
Gary S. Jacob, Creve Coeur, MO;  
Donald H. Picker, Warren, NJ;  
Sandra Carrouee, Lyon, FRANCE;  
George W.J. Fleet, Oxfordshire, UNITED KINGDOM;  
Raymond A. Dwek, Oxfordshire, UNITED KINGDOM;  
David Durantel, Arles, FRANCE;  
Anand Mehta, Langdale, PA;  
Timothy M. Block, Doylestown, PA;